AQUA A - Aquaculture Blend


Fish & Shrimp Farming

POWDERS

OVERVIEW

REX-BAC-T[®] – AQUA A is ideal for use in fish and shrimp farms and has proven effective in numerous applications.

The ponds need to be cleaned prior to the new cycle. While disinfection of the pond bottom is performed in various cases, some farmers prefer to avoid this approach which is beneficial as the disinfectants will actually kill the good bacteria as well. However, disinfection of the water in the initial collection pond is a necessary step so that the disinfected water will then be passed on to the rest of the growing ponds.



- LOWER pH
- REDUCE SLUGE
- REDUCE AMMONIA
- CONTAINS BOTH ANAEROBIC (CAN LIVE IN AIRLESS ENVIRONMENT, NO OXYGEN) BACTERIA
- CONTAINS FACULTATIVE (CAN LIFE WITH OR WITHOUT OXYGEN) BACTERIA
- REDUCES HYDROGEN SULFIDE (ODORS)
- CONTAINS VITAMINS TO ENHANCE BACTERIAL GROWTH
- CONTAINS NO CHEMICALS
- IMPROVE EFFLUENT QUALITY
- AVAILABLE IN CONVENIENT WATER-SOLUBLE PACKAGING

STRAINS					
I MULTI-STRAIN SPOR	E BLEND				
					_
P.O. Box 661	I	Cumming, GA 30028	I	(888) 886-1461	

AQUA A - Aquaculture Blend

Fish & Shrimp Farming

POWDERS

DIRECTIONS: Complete Directions on Product Label

NOTE: For Optimum Results activate the bacteria and enzymes in warm water (not hot) before using.

DIRECTIONS FOR USE:

Initial dosage is 1/2 kg (1 lb) of AQUA A per hectare (2.5 acres) pond size applied one seek before the fries are placed into the pond

Day 14 to 39: Use $\frac{1}{4}$ kg ($\frac{1}{2}$ lb) of AQUA A every 5 days per hectare (2.5 acres) pond size.

Day 42 to 78: Use $\frac{1}{4}$ kg ($\frac{1}{2}$ lb) of AQUA A every 3 days per hectare (2.5 acres) pond size.

Day 80 to 100: Use $\frac{1}{4}$ kg ($\frac{1}{2}$ lb) of AQUA A every 2 days per hectare (2.5 acres) pond size.

Beyond 100 days: Use ¹/₄ kg (¹/₂ lb) of AQUA A every day per hectare (2.5 acres) pond size.

TYPICAL PROPERTIES

- FRAGRANCE MILD
- FORM POWDER
- EFFECTIVE pH range...... 5.0 10.0

CAUTION

May irritate eyes and skin. Avoid contact with eyes and skin. Use gloves and safety glasses when handling. Wash thoroughly after handling. Do not take internally. If in eyes, flush with plenty of cool water for at least 15 minutes. If irritation persists, obtain medical assistance. If on skin, remove contaminated clothing and launder before re-use. Wash skin and hands with soap and water. If swallowed, give person several glasses of water and induce vomiting. Contact physician or poison control center for additional instructions.

KEEP OUT OF REACH OF CHILDREN

REX-BAC	jies
Cumming GA 30028	

(888) 886-1461