

Directions for Use: It is the user's responsibility to determine conditions for use of this product and to assume liability for loss, injury, damage or expense resulting in improper use.

Keep from exposure to hot or cold temperatures. Store in a cool dry area away from direct sunlight, children, food items, and drinking water. Keep containers tightly closed when not in use. Avoid exposure and contact with acids, alkalis, and strong oxidizing agents as they may react with product and inactivate bacterial cultures.

Precautionary Statement: Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves and eye protection. Repeated, prolonged skin contact may cause allergic reactions with susceptible persons.

First Aid Measures

Eye Contact: Rinse thoroughly with plenty of water, also under eyelids. If symptoms persist, call a physician.

Skin Contact: IF ON SKIN, wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice/attention. Wash contaminated clothing before reuse. **Ingestion:** Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

WARNING: May form combustible dust concentrations in air.

APPLICATIONS & BENEFITS

- Accelerates Degradation of Decaying Plant Material -
- Improves Water Clarity -
- Reduces Pond Sludge -
- Reduces Odors -



**Advanced Biological Powder Formulation
(Pond / Lagoon Treatment)**

**Net Contents: 25 LBS
BULK**



1400 Market Place Blvd | Suite 204
Cumming, Georgia 30041 USA
(888) 886-1461
www.rex-bac-t.com

Hazardous Material Information System	
Health	1
Flammability	0
Physical Hazard	0
Personal Protection	E

Our 1502 Series product is specifically formulated to be effective in enhancing water biology in ponds, lakes, lagoons, and other closed water bodies. Our 1502 series product digests suspended solids for improved water clarity, reduces muck and sludge build-up, controls odors, and improves settling.

DIRECTIONS FOR USE:

SHOCK DOSE: Apply at a rate of 6-8 lbs. per acre-foot x 5 doses over a two week period. Apply evenly over affected area by dispersing in several areas of the pond, lagoon, etc.

MAINTENANCE DOSE: Apply at a rate of 4 lbs. per acre-foot 1-2 times per week dispersing across the surface area of the pond.

PREVENTATIVE DOSAGE: Apply at a rate of 2 lbs. per acre-foot, beginning in the spring throughout the warm months. In warmer climates you can treat ponds and lagoons year round.

If fertilizer is applied to surrounding areas, double the dosage rate for 2 weeks.

Notes: For colder climates Lagoon and Pond treatment program should begin when the water temperature is above 50 Degrees Fahrenheit. In ponds with heavy weed concentration we recommend (if possible) you rake out as many of these dead weeds as you can. By doing this initially to your pond it will increase your ponds recovery time going forward.